




R70/15B

TOWER CRANE (QTZ型 130tm)



通过ISO9001国际质量体系认证

沈阳三洋建筑机械有限公司

SHENYANG SANYO BUILDING MACHINERY CO., LTD.





沈阳三洋建筑机械有限公司


SHENYANG SANYO BUILDING MACHINERY CO.,LTD.CHINA

塔身截面 Mast \square 2mx2m

70m



可变换的其它安装方式
Mounting possibilities



同我们协商
Consult us

F 反力 Reactions


- 工作状态 In service
- 非工作状态 Out of service

自重
Self-load

不带载荷及配重, 最大臂长及标准高度时的自重。
Without load and counter-weight with longest jib and standard height.

固定式附着高度 Stationary anchorage height

- ★ 紧固附着框
- △ 放松附着框




如需达到更高的高度, 请与我们联系。
For greater heights, consult us.


R70/15B

TOWER CRANE (QTZ型 130tm)

载荷特性 Load Diagrams



$$\text{钩} = \text{钩} - 0.35t$$



钩/钩 标准小车可使用 2/4 倍率绳, (使用四倍率绳时, 应从二倍率的载荷中减去 0.35 吨)
 standard trolley 2/4 fall. (When using 钩 钩 subtract 0.35t from the loads 钩).



R70/15B

TOWER CRANE (QTZ型 130tm)

机构特性 Mechanisms specification				吊钩 Hook					吊钩 Hook					吊钩 m	kw
起升 Hoisting	▲	45LVF	m/min	0-5.4	0-22.5	0-45	0-67.5	0-90	0-2.7	0-11.2	0-22.5	0-33.7	0-45	500	45
			t	5	5	5	2.5	1.25	10	10	10	5	2.5		
变幅 Trolleying	◀▶	4TVF	m/min	0-55										4	
回转 Slewing	●	120SVT	r/min	0-0.8										120Nm×2	
行走 Travelling	◀▶	4TRVF	m/min	0-12										4×4	
电源 Power Supply				380V 50Hz / 440V 60Hz											
KVA 供电容量 Necessary Electric Power				70KVA											

平衡臂配重 Counter-jib ballast


*在这种情况下要同制造商联系

▲▲▲	▲▲▲▲	▲ (t)
70m	18.9m	14.04
65m	18.9m	12.85
60m	18.9m	11.66
55m	18.9m	10.76
50m	18.9m	9.82
45m	18.9m	7.9
40m	18.9m	6.25

各种数据以修改为准 subject to modification

执行标准 Voluntary Standards: GB/T 13752

中国 沈阳三洋建筑机械有限公司
SHENYANG SANYO BUILDING MACHINERY CO., LTD. CHINA



厂址: 中国 沈阳市大东区沈北路142号 邮政编码: 110122
 电话: 024-88093933 88091979 (销售公司) 024-88902637 (海外销售部) 024-28909649 (客服中心)
 传真: 024-88093057
 网址: www.sys-china.cn
 公司邮箱: sys@sys-china.cn
 海外销售部邮箱: overseas@sys-china.cn
 售后服务部: service@sys-china.cn
 任何非以@sys-china.cn 结尾的邮件均不代表沈阳三洋建筑机械有限公司的行为。

ADD:NO.142 Shenbei Road.Dadong District,Shenyang CHINA Postcode:110122
 Tel: 86-24-88093933 88091979 (Sales Dept) 86-24-88902637 (Overseas Sales Department)
 024-28909649(Customer Service Center) Fax:86-24-88093057

Http:www.sys-china.cn
 Company E-mail: sys@sys-china.cn
 Overseas Sales Department: overseas@sys-china.cn
 After service: service@sys-china.cn
 Any e-mail that doesn't interminate in "@sys-china.cn" is not Shenyang SANYO Building Machinery Co., Ltd. Performance.